



*ADDED SCOPE OF WORK
3-28-19. gm

SAFE HOME
CITY OF CHARLOTTE
NEIGHBORHOOD & BUSINESS SERVICES

Invitation to Bid NBS-19-39

NOTE: Contractors are not authorized to visit the property before or after the bid walk, without being accompanied by the City's Rehabilitation Specialist.

Documents included in Package:

- 1) Instruction to Bidders
- 2) Specs by Location/Trade (Scope of Work)
- 3) Subcontractor Certifications (if applicable)
- 4) Floor Plan / Site Drawing (if applicable)

Bid Walk & Bid Opening: NBS-19-39

Project Address: 3208 CARVER PLACE		LEADSAFE CHARLOTTE
Bid Walk:	THURSDAY MARCH 28, 2019 @ 10:00 AM	
Bid Opening:	THURSDAY APRIL 04, 2019 @ 2:00PM	
Client Name:	Contact Number:	
Project Manager: James Mahon	Contact Number: 704-432-2321	

Bid Walk and Bidding Instructions:

All bid walks are mandatory.

If you are going to be late the policy is the following:

Contact me BEFORE the start time if you are going to be late. If you are going to be more than 10 minutes late, we will proceed without you and you will not be permitted to bid.

The day of a bid walk the best way to reach me is at James Mahon (cell # 704-614-6655).

Bids must be received by the date, time and place specified. All others will be considered non responsive and disqualified.

The Bids will be opened at 600 East Trade St. immediately following the above due date and time.



SAFE HOME
CITY OF CHARLOTTE
NEIGHBORHOOD & BUSINESS SERVICES

Company Acknowledgement:

The undersigned, having become thoroughly familiar with the terms, conditions, limitations, and provisions of the housing improvement work to be performed at **3208 CARVER PLACE** to be funded through the City of Charlotte Neighborhood & Business Services, in addition, having fully inspected the site in all particulars, hereby proposes and agrees to fully perform the work within the time stated and in strict accordance with the proposed contract documents including furnishing of any and all labor and materials, and to do all work required to complete said Work in accordance with the advised respective contractual, for the sum of money:

All labor, materials, services and equipment necessary for the completion of the Work shown on the Drawings and in the Specifications:

Dollars (\$ _____)

Written total

Specs Dated: **03/20/19** Number of Pages: **7 pages Rehab & 2 pages LbP Scope -Map**

Addenda # 1 Dated: **03/28/19** Number of Pages: **8 Pages & 2 pages of LbP – Scope - Map**

Addenda # 2 Dated: Number of Pages:

Project Schedule: *Minimum Start Date - 2 weeks after Bid Opening .*

Completion Deadline:

Please Print and Sign:

Company Name/Firm:

Authorized Representative Name:

Signature:

Date:



Requirements For Bidders

The City awards rehabilitation bids to the lowest responsive and responsible bidder. A responsible bidder for the safe home program is one who:

- 1) Is a licensed general contractor in the State of North Carolina;
- 2) Has an Renovate, Repair & Paint Certification (<http://www2.epa.gov/lead/renovation-repair-and-painting-program>);
- 3) Is not listed on a local, state or federal debarment list;
- 4) Carries an appropriate amounts of insurance;
- 5) Can provide references verifying the contractor has completed work of a similar scope in a good workmanship like manner or successfully completed prior work for the Safe Home program. Referenced work must have been completed in one year or less from date of this invitation to bid.

A responsive bidder must:

- 1) Submit all requested documentation on time;
- 2) Meet the above requirements for responsibility at the time of bid submittal;
- 3) Have the capacity to meet the required schedule for the project.
- 4) Existing rehab projects contracted by the contractor must be on schedule.

The City reserves the right to waive any minor informalities or irregularities, which do not go to the heart of the bid submittal or prejudice other offers, or to reject, for good and compelling reasons, any or all bid submittals.

James Mahon
Rehabilitation Specialist
City of Charlotte
Neighborhood and Business Services
600 E. Trade St.
Charlotte, NC 29202
PH: (704) 432-2321
Fax: (704) 336-3489



Instructions to Bidders

Explanations to Bidders

Any explanation desired by a Contractor regarding the meaning or interpretation of the advertisement for bids, drawings, specifications, etc., must be requested in writing to the Rehabilitation Specialist with sufficient time allowed for a reply to each Contractor before the submission of their bids. Any interpretation made will be in the form of an addendum to the invitation for bids, drawings, specifications, etc., and will be furnished to all prospective Contractors. The Contractor must acknowledge any revision to the bid documents in the space provided on the bid form and it must be submitted with their bid package.

Preparation of Bids

Bids shall be submitted on the forms furnished, or copies thereof, and must be manually signed. If erasures or other changes appear on the forms, the person signing the bids must initial each erasure or change

- The Contractor's Bid Proposal must be properly executed and submitted on the form provided. Bids by Contractors must be received by the Rehabilitation Specialist at the time and place specified on the "Invitation to Bid"
- No bid will be considered unless all individual work items on the Bid Form including any addendums are priced. The sum of all work items must equal to the Total Bid Amount.
- Unless called for, alternate bids will not be considered
- Modification of bids already submitted will be considered if received at the office designated in the invitation for bids by the time set for opening of bids

Submittal of Bids

- Sealed bids will be submitted to the Safe Home Program Office as directed in the invitation to bid prior to or at the appointed bid opening time
- Bid will be time stamped on the date of delivery
- Each bid must be submitted in a sealed envelope bearing on the outside the name of the Contractor, the name of the project for which the bid is submitted, and the date and time of the bid opening
- All bids submitted must be typed or written in ink and signed by the Contractor's designated representative



SAFE HOME
CITY OF CHARLOTTE
NEIGHBORHOOD & BUSINESS SERVICES

- Failure to include all forms may result in rejection of a bid
- Required Bid Package Forms:
 - Scope of Work
 - Addenda Acknowledgement
 - Itemized Work Sheet
 - Subcontractor Certifications (if applicable)

NEIGHBORHOOD & BUSINESS
SERVICES

<http://housing.charlottenc.gov> | 600 E. Trade Street | Charlotte, NC

Work Specification

Response Due: 4/4/2019 2:00 PM

Prepared By:
City of Charlotte Housing & Neighborhood Services
600 E. Trade Street
Charlotte, NC 28202
(704) 336-7600

Property Details

Address:	3208 Carver Pl Charlotte, NC 28269	Owner:	Wendy Gooding
Structure Type:	Single Unit	Owner Phone:	Home: (704) 977-3405
Square Feet:	944	Program(s):	Tested- HAS LEAD LeadSafe 2016 Healthy Homes LBP 2016 SH2019 Eligible if LBP found X - SHFY19- Not Ranked SHFY2020
Year Built:	1962		
Property Value:	32800		
Tax Parcel:	04312117		
Census Tract:			
Property Zone:	Council District 2		

Additional Comments

Addendum 3- Items 3-28-19

Repairs

Description

Floor

Room

Exterior

Floor System Repair

KITCHEN

Remove all fixtures not built in. Dispose of damaged/unsafe components of floor assembly. Work may include installation of 2"x 8" joists hung 16" on center, plywood or tongue and groove subfloor. Include replacing all deteriorated band joists and insulating floor to code.

Bid Cost:		X	=	
	Base	Quantity		Total Cost

Drywall Entire Room

KITCHEN

Remove all gypsum, paneling, lathe and plaster or miscellaneous wall coverings to expose framing. Add insulation as required by code. Glue, nail and screw new drywall. Apply tape and 3 coats of joint compound to achieve a professional finish. Wet sand ready for paint.


Bid Cost:		X	=	
	Base	Quantity		Total Cost

Work Specification

Ceiling Replace

KITCHEN

Remove existing ceiling covering, replace any deteriorated framing. Install 1/2" drywall to Code. Tape. Add 3 coats of compound and sand smooth.



Bid Cost: _____ X _____ = _____
Base Quantity Total Cost

Prep & Paint Room Semi Gloss

KITCHEN

Remove or cover hardware and accessories not to be painted. Scrape loose, peeling, cracked and blistered areas. Clean oil, grease, fungus, dirt, and dust from surfaces. Fill holes and cracks. Prime all new materials and spot prime existing with acrylic latex. Top coat with owner's choice of low VOC acrylic SEMI-GLOSS latex. Painting shall include walls and any associated trim. Replace or uncover hardware, fixtures and accessories. Any moving of furniture required shall be included.

Bid Cost: _____ X _____ = _____
Base Quantity Total Cost

Cabinets Wall

KITCHEN

Replace wall cabinets. Cabinets are to be constructed of solid maple and plywood. No particle board allowed. See contractor's manual guidelines & specifications for full requirements.

Bid Cost: _____ X _____ = _____
Base Quantity Total Cost

Cabinets Base

KITCHEN

Replace base cabinets. Cabinets to be constructed of solid maple and plywood. No particle board allowed. See contractor's manual guidelines & specifications for full requirements.

Bid Cost: _____ X _____ = _____
Base Quantity Total Cost

Counter Tops Replace

KITCHEN

Screw to base cabinet a square edged plastic laminate counter top. Provide end-caps and cutout for sink. Caulk counter top to adjoining walls with low VOC caulking to match wall color. Owner's choice of in-stock color and texture.

Bid Cost: _____ X _____ = _____
Base Quantity Total Cost

Work Specification

Double Bowl Sink Complete

KITCHEN

Install a 18 gauge 33" x 22" x 8" double bowl, stainless steel, self rimming kitchen sink including a single handle metal body faucet, rated at 2.0 GPM or less, with a 15 year drip- free warranty, P-trap, supply lines, full port ball type shut-off valves & escutcheon plates on all supply & drain lines. No copper compression fittings.

Bid Cost: _____ X _____ = _____
Base Quantity Total Cost

GFCI Receptacle 20 AMP

KITCHEN

Install a flush mounted, ground fault circuit interrupted, duplex receptacle and cover plate. Fish wire and repair all tear out as needed.

Bid Cost: _____ X _____ = _____
Base Quantity Total Cost

Light Fixture Replace

KITCHEN

Replace or install a ceiling mounted 2 bulb or wall mounted 4 bulb strip, UL approved, LED light fixture with shade and lamps.

Bid Cost: _____ X _____ = _____
Base Quantity Total Cost

Range Hood Exterior Vented

KITCHEN

Install an exterior ducted enameled range hood with integral controls and light capable of 100 cfm at 70 sones. Attach hood to cabinet with screws. Include metal vent and roof or wall cap/damper assembly, using #14 copper Romex. Owner's choice of color.

Bid Cost: _____ X _____ = _____
Base Quantity Total Cost

Resilient Flooring

KITCHEN

Install 25 year warrantied resilient floor covering per manufacturer's specifications. Include transitions and painted or stained wood quarter-round at all perimeters to complete installation.

Bid Cost: _____ X _____ = _____
Base Quantity Total Cost

Prehung Door Interior

BATHROOM- MASTER

Install a 1- 3/8" prehung, door including casing both sides and lockset. Match existing style and finish.

Bid Cost: _____ X _____ = _____
Base Quantity Total Cost

Work Specification

Floor System Repair

BATHROOM- MASTER

Remove all fixtures not built in. Dispose of damaged/unsafe components of floor assembly. Work may include installation of 2"x 8" joists hung 16" on center, plywood or tongue and groove subfloor. Include replacing all deteriorated band joists and insulating floor to code.

Bid Cost:	_____	X	_____	=	_____
	Base		Quantity		Total Cost

Prep & Paint Room Semi Gloss

BATHROOM- MASTER

Remove or cover hardware and accessories not to be painted. Scrape loose, peeling, cracked and blistered areas. Clean oil, grease, fungus, dirt, and dust from surfaces. Fill holes and cracks. Prime all new materials and spot prime existing with acrylic latex. Top coat with owner's choice of low VOC acrylic SEMI-GLOSS latex. Painting shall include walls and any associated trim. Replace or uncover hardware, fixtures and accessories. Any moving of furniture required shall be included.

Bid Cost:	_____	X	_____	=	_____
	Base		Quantity		Total Cost

Drywall Entire Room

BATHROOM- MASTER

Remove all gypsum, paneling, lathe and plaster or miscellaneous wall coverings to expose framing. Add insulation as required by code. Glue, nail and screw new drywall. Apply tape and 3 coats of joint compound to achieve a professional finish. Wet sand ready for paint.

Bid Cost:	_____	X	_____	=	_____
	Base		Quantity		Total Cost

Light Fixture Replace

BATHROOM- MASTER

Replace or install a ceiling mounted 2 bulb or wall mounted 4 bulb strip, UL approved, LED light fixture with shade and lamps.

Bid Cost:	_____	X	_____	=	_____
	Base		Quantity		Total Cost

GFCI Receptacle 20 AMP

BATHROOM- MASTER

Install a flush mounted, ground fault circuit interrupted, duplex receptacle and cover plate. Fish wire and repair all tear out as needed.

Bid Cost:	_____	X	_____	=	_____
	Base		Quantity		Total Cost

17" Height Commode Replace

BATHROOM- MASTER

Install a 17" height, 2 piece, close coupled, white, vitreous china commode with a maximum water usage per flush of 1.6 gallons. Include plastic or pressed wood white seat, supply pipe, shut-off valve, flap valve and wax seal.

Bid Cost:	_____	X	_____	=	_____
	Base		Quantity		Total Cost

Work Specification

Fiberglass Bathtub and Shower Surround

BATHROOM- MASTER

Install a 5' white Swan or equivalent 3-piece, fiberglass bathtub and surround. Caulk all seams and penetrations. Include new single handled tub/shower diverter valve and drain.

Bid Cost: $\frac{\quad}{\text{Base}} \times \frac{\quad}{\text{Quantity}} = \frac{\quad}{\text{Total Cost}}$

Vanity/ Counter Top/ Sink

BATHROOM- MASTER

Install new vanity cabinet complete with counter top of laminate with vitreous china sink or marble-lite top with preformed sink. Include single handled metal faucet with drain and pop-up , P- trap, supply lines, full port ball type shut-off valves & escutcheon plates. Vanity medicine cabinet/mirror to remain.

Bid Cost: $\frac{\quad}{\text{Base}} \times \frac{\quad}{\text{Quantity}} = \frac{\quad}{\text{Total Cost}}$

Bath Exhaust Fan Replace

BATHROOM- MASTER

Install a ceiling or through-the-wall, exterior ducted, vent fan with damper. Include power and switch wiring using #14 copper Romex. Repair any tear out.

Bid Cost: $\frac{\quad}{\text{Base}} \times \frac{\quad}{\text{Quantity}} = \frac{\quad}{\text{Total Cost}}$

Resilient Flooring

BATHROOM- MASTER

Install 25 year warrantied resilient floor covering per manufacturer's specifications. Include transitions and painted or stained wood quarter-round at all perimeters to complete installation.

Bid Cost: $\frac{\quad}{\text{Base}} \times \frac{\quad}{\text{Quantity}} = \frac{\quad}{\text{Total Cost}}$

Complete System Replacement-Gas Furnace, Air Conditioner, and Duct System

GEN REQ

Completely remove all existing HVAC system components, including boots and grilles. Design and install a new complete, fully functioning HVAC system with a gas furnace, air conditioner, and ductwork with all the necessary equipment and accessories to meet the requirements of the NC Codes and the Construction Specifications.

Scope of work includes all repairs to the structure and finish surfaces that are necessary due to the removal of the old system and the installation of the new system.

Bid Cost: $\frac{\quad}{\text{Base}} \times \frac{\quad}{\text{Quantity}} = \frac{\quad}{\text{Total Cost}}$

Water Heater 40 Gallon Electric

GEN REQ

Install a 40 gallon, glass lined, high recovery insulated to R-7, double element, electric water heater with 10 year warranty. Include pressure and temperature relief valve, expansion tank, discharge tube to within 6" of floor or to outside of structure, shut-off valve and electric supply. If it is located on an upper floor or if there is no floor drain, install a catch pan drained to the exterior. Dispose of old water heater appropriately.

Bid Cost: $\frac{\quad}{\text{Base}} \times \frac{\quad}{\text{Quantity}} = \frac{\quad}{\text{Total Cost}}$

Work Specification

See Attached Lead Scope

GEN REQ

All work shall be performed in accordance with applicable regulations and shall meet all applicable building codes. Building permits will be obtained as appropriate. Mecklenburg County requires building permits for Lead Hazard Reduction if the work involves activities subject to permitting under general conducts.

Bid Cost: $\frac{\text{Base}}{\text{Quantity}} \times = \text{Total Cost}$

Masonry Pier Replace

Exterior

Repair Masonry block foundation wall to Code (Corners and Rear Wall) Requirements.

Bid Cost: $\frac{\text{Base}}{\text{Quantity}} \times = \text{Total Cost}$

Replace/ Refasten Any Loose/ Missing Or Decayed Exterior Lumber

Exterior

Remove & replace any decayed wood products to be painted under paint scope of work or covered over by vinyl product or coil stock. Refasten any loose wood products with proper fasteners.

Bid Cost: $\frac{\text{Base}}{\text{Quantity}} \times = \text{Total Cost}$

Vinyl Siding

Exterior

Replace all deteriorated exterior building components. Wrap home with Tyvek vapor/ infiltration barrier. Install vinyl clapboard siding including corners, door and window trim to complete installation. Owner's choice of siding color, exposure, and texture with 50 year warranty.

Bid Cost: $\frac{\text{Base}}{\text{Quantity}} \times = \text{Total Cost}$

Floor System Repair

Laundry Room @ Carport

Remove all fixtures not built in. Dispose of damaged/unsafe components of floor assembly. Work may include installation of 2"x 8" joists hung 16" on center, plywood or tongue and groove subfloor. Include replacing all deteriorated band joists and insulating floor to code.

Bid Cost: $\frac{\text{Base}}{\text{Quantity}} \times = \text{Total Cost}$

Repair/Replace Exterior Wall Framing

Exterior

After removing siding from rear, , assess and repair/replace damaged and decayed wall framing to Code.

Make effort to make repair from the exterior side of the home.

Rear and carport area walls (Laundry Room- Hot water Heater)

Bid Cost: $\frac{\text{Base}}{\text{Quantity}} \times = \text{Total Cost}$

Work Specification

Vapor Barrier

Lay 6 mil poly vapor barrier on ground in crawl space and 6" up foundation walls. Overlap seams by 2' and secure with duct tape.

Bid Cost: $\frac{\text{Base}}{\text{Quantity}} \times \text{Quantity} = \text{Total Cost}$

Exterior Step Repair

Side Door Exterior

Repair damaged or deteriorated elements of exterior steps to match existing staircase.

Bid Cost: $\frac{\text{Base}}{\text{Quantity}} \times \text{Quantity} = \text{Total Cost}$

Exterior Deck

Exterior

Remove and dispose of existing deck and replace with new exterior deck, including steps and railings.

Bid Cost: $\frac{\text{Base}}{\text{Quantity}} \times \text{Quantity} = \text{Total Cost}$

Exterminate Termites

Exterminate for termites. Drill and patch foundation and pavement where necessary. Exterminator must be licensed and provide a 1 year guarantee with an optional yearly renewable warranty for the homeowner.

Bid Cost: $\frac{\text{Base}}{\text{Quantity}} \times \text{Quantity} = \text{Total Cost}$

* Portable Toilet

Provide temporary toilet facilities from job start until approval of permanent facilities.

Bid Cost: $\frac{\text{Base}}{\text{Quantity}} \times \text{Quantity} = \text{Total Cost}$

* Permits Required

The contractor is responsible obtaining and paying for all permits required. Said permits shall include all items in this scope of work.

Bid Cost: $\frac{\text{Base}}{\text{Quantity}} \times \text{Quantity} = \text{Total Cost}$

* Dumpster

After procuring all required permits, place AS MANY roll-off dumpsters as needed without damaging the site. Collect construction debris using dust control methods. Remove dumpster and repair any evidence of the dumpsters use. Contractor may haul debris away daily using dump trailers.

Bid Cost: $\frac{\text{Base}}{\text{Quantity}} \times \text{Quantity} = \text{Total Cost}$

Work Specification

Certification

Contractor Name: _____

Total Cost: _____

Signature: _____

Date: _____